## Best Available Copy



### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/435,008

Confirmation No.:

3596

Applicant(s):

Dang et al.

Filed:

January 12, 2004

TC/AU

1711

Examiner

**Duc Truong** 

Docket No. :

**AFD 645** 

Customer No.:

26902

Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

## DECLARATION OF NARAYANAN VENKATASUBRAMANIAN <u>Under Rule 1.131</u>

- 1. I, Narayanan Venkatasubramanian, declare that:
- 2. I have a B.S. in Chemistry from the University of Madras, India, an M.S. in Chemistry from the Indian Institute of Technology, Madras, India and a PhD in Chemistry from the Indian Institute of Technology, Madras, India.
- 3. I have been working in research and development in the Polymer Chemistry/Polymeric Materials art at the University of Dayton Research Institute, Dayton, OH since December 1999.
- 4. I am one of the inventors of the subject matter of the above-identified application.

5. The following facts show a conception and reduction to practice of the above-identified invention before April 7, 2002:

Before April 7, 2002, I developed new rigid-rod benzobisazole polymer compositions incorporating 1,5-naphthalene-diyl units for potential utilization as non-conducting high modulus fibers in structural composites for Air Force applications. Besides conventional reinforcement, other areas of application for these high performance polymers include protective garments, ballistic vests and abrasion- and flame-resistant fabrics. The invention takes advantage of the unique conformational possibilities and torsional behavior of the polybenzobisazole chains containing 1,5-naphthalic segments which will influence the mechanical properties of the polymeric fibers. This development is described in University of Dayton Research Institute (hereinafter referred to as "UDRI") Technology Disclosure No.349. A copy of this Technology Disclosure Form is attached.

In particular, the Page 3 of 5 of the attached Technology Disclosure Form show that the relevant dates are as follows:

### 1,5-Naphthalenedicarboxylic acid (monomer) (07/23/01):

A new method is described for the preparation of this diacid monomer starting with 1,5-diaminonaphthalene as starting material. The process of conversion of 1,5-naphthalenedinitrile to the dicarboxylic acid monomer is described with the date of 07/23/01.

### 1,5-Naphthalenebenzobisthiazole (polymer) (08/28/01 and again, 11/27/01):

The high temperature polycondensation of 1,5-naphthalenedicarboxylic acid with 2.5-diamino-1,4-benzenedithiol dihydrochloride in polyphosphoric acid with final polymer concentrations of 10 wt % and 12 wt % respectively are described on the dates as indicated above.

### 1,5-Naphthalenebenzobisoxazole (polymer) (02/15/02):

The high temperature polycondensation of 1,5-naphthalenedicarboxylic acid with 4,6-diamino-1,3-benzenediol dihydrochloride in polyphosphoric acid, with a final polymer concentration of 14 wt %, is described on the date indicated above.

- 6. All acts described herein were conducted in the United States of America before April 7, 2002.
- I further declare that all statements made herein are of my own knowledge and are true, and that all statements made on information and belief are believed to be true; and further that the statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001, Title 18, of the United States Code and that such willful false statements may jeopardize the validity of the above-identified application or any patent issue thereon.

Dated: 08/12/2005

Narayanan Venkatasubramanian

AFD 645 Rule 131.doc



Disclosure No. 7 1 9
Log-In-Date 27 2 1 0 3
OFFICE USE ONLY

Daegu 702-797, Korea

## UNIVERSITY OF DAYTON TECHNOLOGY DISCLOSURE FORM - INVENTIONS

1. Descriptive Title of Invention Rigid-rod Benzobisazole Polymers Incorporating Naphthalene-1,5-diyl Structural Units 2. Inventor(s) Name (typed) (1) Thuy D. Dang Name (typed) (2) Dr. Narayanan Venkatasubramanian Signature Signature Date 12/11/02 Date 12/11/02 **Employer Employer** University of Dayton Research Polymer Branch, AFRL/MLBP, Wright-Patterson AFB, OH 45433 Institute, 300 College Park Drive, Dayton OH 45469 Business Phone No. 937-255-0042 Business Phone No. 937-255-9117 Home Address Home Address 2582 King Arthur Drive 6195 Millbank Drive, Centerville, OH 45459 Beavercreek OH 45431 Name (typed) (3) Dr. Jar-Wha Lee Name (typed) (4) Dr. Soo-Young Park Signature Signature Date Date **Employer Employer** (own company) Syscom (Current), Technology Inc., 4180, Anson Department of Polymer Science Drive, Hilliard, OH 43026 Kyungpook National University IWLEESTI@ worldnet att net #1370 Sangyuk-dong, Buk-Gu, Daegu 702-701, Korea Business Phone No. 614-850-7314 Business Phone No. 82-53-950-5630 Home Address Home Address 107-1708, WhaSung 3 Cha, 1294 Darcann Drive Dongchun-dong, Buk-Gu,

Columbus OH 43220

Disclosure No		_
Log-In-Date		
OFFICE USE ONLY	•	

### **UNIVERSITY OF DAYTON** TECHNOLOGY DISCLOSURE FORM - INVENTIONS

۱.	Descriptive little of invention	
2.	Rigid-rod Benzobisazole Polymers Incorporation Inventor(s)	ng Naphthalene-1,5-diyl Structural Units
	Name(typed) (1) Thuy D. Dang	Name(typed) (2)Dr. Narayanan Venkatasubramanian
	Signature	Signature
	Date	Date
	Employer Polymer Branch, AFRL/MLBP, Wright-Patterson AFB, OH 45433	Employer University of Dayton Research Institute, 300 College Park Drive, Dayton OH 45469
	Business Phone No. 937-255-0042	Business Phone No. 937-255-9117
	Home Address 6195 Millbank Drive, Centerville, OH 45459	Home Address 2582 King Arthur Drive Beavercreek OH 45431
	Name (typed) (3) Dr. Jar-Wha Lee	Name (typed) (4) Dr. Soo-Young Park
	Signature	Signature Paul Son III
	Date	Date /2/18/2002
	Employer (own company) Syscom Technology Inc., 4180, Anson Drive, Hilliard, OH 43026	Employer (Current) Department of Polymer Science Kyungpook National University #1370 Sangyuk-dong, Buk-Gu, Daegu 702-701, Korea
	Business Phone No. 614-850-7314	Business Phone No. 82-53-950-5630
	Home Address 1294 Darcann Drive Columbus OH 43220	Home Address 107-1708, WhaSung 3 Cha, Dongchun-dong, Buk-Gu, Daegu 702-797, Korea
3.	Witnesses: The disclosure shall be signed by twinvention.	wo witnesses who are not inventors of any part of this
	Name (typed) Dr. Jong-Beom Baek	Name (typed) Dr. Balasubramanian Sankaran
	Signature	Signature
•	Date	Date

Disclosure No
Log-In-Date
OFFICE USE ONLY

## UNIVERSITY OF DAYTON TECHNOLOGY DISCLOSURE FORM - INVENTIONS

Descriptive Title of Invention
 Rigid-rod Benzobisazole Polymers Incorporating Naphthalene-1,5-diyl Structural Units

2.	Inventor(s)			
	Name (typed)	(5) Dr. Fred E. Arnold	Name (typed)	(6) Dr. Barry L. Farmer
	Signature		Signature	Zan Llema
	Date		Date	
		ymer Branch, AFRL/MLBP, ight-Patterson AFB, OH 45433	V	Materials Directorate, AFRL/ML, Vright-Patterson AFB, Dayton, DH 45433
	Business Phone	No.	Business Pho	ne No. 937-255-6825
	Home Address	1583 Ambridge Road	Home Addres	s 1522 Kathy Marie Ct.,
		Centerville OH 45459		Xenia, OH 45385
	Name (typed)		Name (typed)	
	Signature		Signature	
	Date		Date	
	Employer		Employer	
	Business Phone	No.	Business Pho	ne No.
	Home Address		Home Addres	s
3.	Witnesses: The invention.	disclosure shall be signed by two with	nesses who are	not inventors of any part of this
	Name (typed)	Dr. Jong-Beom Baek	Name (typed)	Dr. Balasubramanian Sankaran
	Signature		Signature	
	Date		Date —	

Disclosure No	
Log-In-Date	_
OFFICE USE ONLY	

## UNIVERSITY OF DAYTON TECHNOLOGY DISCLOSURE FORM - INVENTIONS

Descriptive Title of Invention
 Rigid-rod Benzobisazole Polymers Incorporating Naphthalene-1,5-diyl Structural Units

^	İnvantar(a)	•
2.	Inventor(s)	
	Name (typed) (5) Dr. Fred E. Arnold	Name (typed) (6) Dr. Barry L. Farmer
	Signature	Signature Law Law
	Date	Date
	Employer Polymer Branch, AFRL/MLBP, Wright-Patterson AFB, OH 45433	Employer Materials Directorate, AFRL/ML, Wright-Patterson AFB, Dayton, OH 45433
	Business Phone No.	Business Phone No. 937-255-6825
	Home Address 1583 Ambridge Road	Home Address 1522 Kathy Marie Ct.,
	Centerville OH 45459	Xenia, OH 45385
	Name (typed)	Name (typed)
	Signature	Signature
	Date	Date
	Employer	Employer
	Business Phone No.	Business Phone No.
	Home Address	Home Address
3.	Witnesses: The disclosure shall be signed by two winvention.	ritnesses who are not inventors of any part of this
	Name (typed) Dr. Jong-Beom Baek	Name (typed) Dr. Balasubramanian Sankaran
	Signature	Signature
	Date	Date

3.	Witnesses: The disclosure shall be signed by two with invention.	nesses who are not inventors of any part of this
	Name (typed) Dr. Jong-Beom Baek	Name (typed) Dr. Balasubramanian Sankaran
	Signature Bak Joy beam	Signature 1. b
	Date (2/27/2)	Date 12/23/02

4.	<ol> <li>Approval: The disclosure shall be signed by the Research Institute division head department chair as applicable.</li> </ol>	d and/or the academic
	Name (typed) CHYI-SHAN WANG Name (typed) ALLA	N S. CPASTO
	Signature Chy Sharabal Signature Fract	
	Date 01/14/03 Date	-17-03
5.	5. Was the work leading to the invention performed (in whole or in part) on an exterprogram? ☐ Yes ☐ No	rnally sponsored
	Sponsoring Agency/Firm AFOSR and Wright-patterson AFB	
	Account Number 2423010362 Contract Number F33615	-00-D-5008
6.	6. Date and circumstances of first verifiable record of the invention:	•
	The synthesis of the monomer, i.e., 1,5-naphthalenedicarboxylic acid by the hy corresponding dinitrile was reported on 07/23/01. The synthesis of the polyben composition incorporating naphthalene-1,5-diyl structural unit was first reported	zobisthiazole
7.	7. Date and description of other written records of the invention predating this disc. The preparation of the polybenzobisthiazole composition incorporating naphth again reported on 11/27/01, varying the polymer concentration in the polyphos. The synthesis of the corresponding polybenzobisoxazole composition was repo	alene-1,5-diyl unit was phoric acid medium.
8.	8. Is there a laboratory notebook record of this invention?   Notebook number or other identification UDRI # 768 and # 789	
	Page numbers # 768 (page #s 76, 83), # 789 (page #s 1 and 20).	
9.	9. Has the invention been demonstrated experimentally?	
	The compositions were synthesized in high molecular weights as evidenced by viscosities and displayed the lyotropic liquid crystallinity characteristic of rigio polybenzobisthiazole and the polybenzobisoxazole compositions were continue from the anisotropic polyphosphoric acid dopes by a dry jet-wet spinning meth ranging from 20-35 by one of the co-inventors, Dr. Jar Wha Lee.	I-rod polymers. Both the busly spun into fibers

10. First Public Disclosure. Identify the names, places, and dates associated with the first disclosure of pertinent details of the invention to anyone outside the University without the benefit of a formal confidentiality agreement. Public disclosure may be made in the following ways: (1) an oral presentation to a scientific meeting or an informal group;(2) circulation of an abstract of a talk; (3) publication of a journal article or news story; (4) delivery and distribution of a contract report, etc. Attach copies of any publications. If you are not sure whether public disclosure has been made, give the details of all external communication concerning the invention. If there has been no outside disclosure, so indicate.

The first public disclosure appeared as "Polymer Preprints" published by the Polymer Division, American Chemical Society. The papers were presented at the annual Spring ACS Meeting at Orlando, Florida, April 7-11, 2002; the citations are given below.

- 1. "Synthesis and Characterization of Rigid-rod Benzobisazole Polymers Incorporating Naphthalene-2,6- and 1,5-diyl Structural Units", Thuy D. Dang, N. Venkatasubramanian, Adam Talicska, Soo-Young Park and Fred E. Arnold, Polymer Preprints (ACS), 2002, 43(1), 660-661
- 2. "Structural Studies on Naphthalene-based Rigid-rod Benzobisthiazole Polymers", Soo-Young Park, Jarwha Lee, N. Venkatasubramanian, Thuy D. Dang, Fred E. Arnold and B. L. Farmer, Polymer Preprints, 2002, 43(1), 248-249

11.	Yes No
	If YES, please provide pertinent details
12.	Samples. Have samples of the invention been given to anyone outside the University for evaluation (including sponsors)?
	Please provide pertinent details:
	Dr. Soo-Young Park, our research collaborator and faculty member in the Dept. of Polymer Science, Kyungpook National University is currently evaluating the mechanical properties of as spun and heat treated fibers including their compressive modulus and strength.

- 13. What do you see as the commercial value of the invention? What is the market and how large is it?

  The commercial value of the inventions stems from their potential for utilization as reinforcing, nonconducting high tenacity polymeric fibers in structural composites. The scope for commercial utility of
  these fibers is dependent on significant improvement in compressive strength relative to the state of-art
  rigid-rod polymeric fibers such as PBO.
- 14. List the names of firms that might be interested in licensing the invention.

- 15. Attach to this form a Nonconfidential Abstract of the invention addressing the items listed below:
- (a) Description. Provide a brief general description that communicates the essence of the invention without disclosing pertinent technical details.
- (b) Application. Intended use of the invention, especially for commercial purposes. Be specific.
- (c) Advantages. What is new and useful about the invention? Why is it better than the prior art?
- (d) Current State of Development. Is the invention a concept only, fully developed and ready to license, or somewhere in between? Give some idea of how much development work would be needed to commercialize the invention.
- Attach to this form a Detailed Description of the invention according to the following instructions. Type the description space-and-a-half, use as many pages as necessary, and number the pages consecutively. Prepare the Detailed Description so an individual reasonably skilled in the art would readily recognize what is new, different, useful, and non-obvious about the invention. Try to communicate the central essence of the invention. Use photographs, sketches, and graphs as necessary. Include the following elements in the description:
- (a) Intent. Briefly identify the problem and/or need addressed by the invention.
- (b) Applicability. Describe the invention's general areas of application and specific uses.
- (c) Function. Describe in detail the pertinent features of the invention with emphasis on (1) novelty, (2) advantages, (3) disadvantages and limitations, and (4) prior related inventions.
- (d) Inventors' Roles. If more than one inventor contributed to the invention, describe the individual roles and contributions of each inventor to either the concept or its successful reduction to practice.

Submit completed disclosure form to:

THE UNIVERSITY OF DAYTON
Research Institute
Technology Commercialization Office
KL 503
300 College Park
Dayton, OH 45469-0102
Telephone 937-229-3515
Fax 937-229-3433

# POLYMER PREPRINTS

Volume 43

Number 1

Spring 2002

Published by the Division of Polymer Chemistry, Inc.

**American Chemical Society** 

Papers presented at the Orlando, Florida Meeting

Copyright© 2002 by The Division of Polymer Chemistry, Inc. American Chemical Society. No papers may be reprinted without permission.

### 223rd ACS NATIONAL MEETING Orlando, Florida April 7-11, 2002

# SELF-ASSEMBLED PHOTONIC BAND GAP MATERIALS (N. P. Balsara and E. L. Thomas, Organizers)

### <u>TUTORIAL</u>

Sunday Morning		
Interaction between radiation and matter. B. A. Garetz		Preprint N/A
Introduction to the propagation and scattering o D. J. Pine	of light.	Preprint N/A
Realization of photonic band gap structures.  E. L. Thomas		Preprint N/A
SESSION I		
Sunday Afternoon		
Designing composite colloidal particles for pho	otonics.	Preprint N/A
Irrational self-assembly: 3-D array of holes in M. Srinivasarao, J. O. Park	a polymer film.	1
Photonic bandgap composites based on crystal S. H. Foulger, P. Jiang, A. C. Lattam, Y. Ying	lline colloidal arrays. , D. W. Smith	2
Phase stability in ternary blends for photonics. A. J. Ryan, C. Salou, L. Messe, L. Corvazier,	. J. A. Fairclough, R. N. Young	Preprint N/A
Photonic band gap structures in polymers via scopolymers. S. A. Jenekhe		4
Toward photonic crystals from crosslinked ble N. P. Balsara, H. Hahn, H. Eitouni	ock copolymers.	5
Optical properties of block copolymer based in M. R. T. Bockstaller, E. L. Thomas	metallodielectric photonic crystals	6

#### SYNTHESIS AND CHARACTERIZATION OF RIGID-ROD BENZOBISAZOLE POLYMERS INCORPORATING NAPHTHALENE 2,6- AND 1,5-DIYL STRUCTURAL UNITS

Thuy D. Dang', N. Venkatasubramanian<sup>2</sup>, Adam Talicska<sup>3</sup>, Soo-Young Park' and Fred E. Arnold'

- AFRL/MLBP, Materials & Manufacturing Technology Directorate, Wright-Patterson Air Force Base, 2941, P Street, suite 1, Dayton, OH 45433-7750
- University of Dayton Research Institute, 300 College Park Drive, Dayton, OH, 45469
- 3. Department of Biology, Wright State University, Dayton, OH 45435

#### Introduction

Aromatic heterocyclic rigid-rod polymers such as poly(p-phenylenebenzobisthiazole)<sup>1</sup> (PBT) and poly(p-phenylenebenzobisoxazole)<sup>2</sup> (PBO) are well-known for their unique mechanical properties and exceptional thermal and thermooxidative stabilities. Among this class of materials, PBO fibers and yarns have been commercialized under the trademark of 'Zylon' by Toyobo Industries and have tensile properties superior to those of Kevlar'. The myriad applications of PBO range from conventional reinforcement to protective garments, ballistic vests as well as abrasion- and flame-resistant fabrics, to name just a few. This paper is concerned with the synthesis and characterization of rigid-chain polybenzobisazoles incorporating naphthalene-2,6- and 1,5-diyl moieties in the backbone.

A literature search revealed the presence of a single patented report<sup>3</sup> dealing with a copolymer involving PBO and a polybenzobisoxazole linked to the naphthalene-2,6-diyl unit. The rationale for the current research was to take up a systematic investigation of the naphthalene-based polybenzobisazole polymers. The extended planar packing afforded by the naphthalene-2,6-diyl<sup>4</sup> and 1,5-diyl units in the polybenzobisazole is an interesting additional molecular feature from the standpoint of consideration of extended-chain conformations as well as the torsional behavior relative to PBT and PBO. The planar zig-zag conformation of the polymer chain in which the alternating benzobisthiazole units have a cis-disposition relative to each other and a polymer chain conformation in which the heterocyclic units have an all-trans disposition, are depicted below (Figure 1) for the 1,5- naphthalene-PBT system.

Figure 1. Possible polymer chain conformations in the polybenzobisthiazole incorporating Naphthalene-1,5-diyl structural unit

Detailed analyses of the chain packing and the chain conformations in the polybenzobisthiazole system incorporating the isomeric naphthalene-diyl units based on X-ray diffraction studies of the polymeric fibers and on molecular modeling, form the subject of a companion paper. Another potential application of interest will be the study of the influence of polymer chain packing on the compressive properties of these organic fibers.

### Experimental

Synthesis of 1,5-naphthalenedicarboxylic acid. The monomer was synthesized from 1,5-diaminonaphthalene via the reaction of its diazonium salt with KI to form 1,5-diiodonaphthalene followed by the conversion to 1,5-naphthalenedinitrile which was hydrolyzed by HBr/AcOH to form the desired dicarboxylic acid in satisfactory yields.

Synthesis of polybenzobisthiazole based on naphthalene-1,5-diyl unit (1,5-NaphPBT). 1,5-Naphthalenedicarboxylic acid (2.5 g, 0.0116 mole) was reacted with equimolar amounts of 1,4-diamino-2,5-benzenedithiol dihydrochloride (DABDT, 2.8352 g) in polyphosphoric acid (PPA) with 77 % initial concentration of P2O<sub>5</sub>. After the completion of dehydrochlorination of DABDT at  $105^{\circ}$ C,  $P_2O_3$  was added to "adjust" the final PPA composition to have 83 %  $P_2O_5$  content. The final polymerization temperature was maintained at  $180^{\circ}$ C for a day. The viscous polymer product (10 wt % in PPA) was found to be stir-opalescent. The polymer was precipitated in water, broken up in a blender, soxhlet-extracted with water and finally dried for 48 hours in vacuo at  $100^{\circ}$ C to obtain a fibrous yellow solid.

### **Results and Discussion**

The preparative scheme for the synthesis of 1,5-naphthalenedicarboxylic acid monomer is described below in Figure 2. The monomer was purified via dissolution in aqueous NaHCO<sub>3</sub> as the sodium salt and reprecipitation by acidification.

Figure 2. Synthesis of 1,5-Naphthalenedicarboxylic acid

The polycondensation reactions to synthesize the polybenzobisthiazoles based on naphthalene-2,6- and 1,5-diyl structural units (2,6-NaphPBT and 1,5-NaphPBT) and polybenzobisoxazole incorporating naphthalene-2,6-diyl unit (2,6-NaphPBO) are described in Figure 3.

Figure 3. Synthesis of polybenzobisazoles incorporating Naphthalene-2,6and 1,5- diyl structural units

The polymerization reactions were conducted in relatively high concentrations (10-12 wt % polymer in PPA). The viscous, dark purple dopes exhibited stir-opalescence characteristic of the lyotropic liquid crystallinity of the rigid-rods in the 175-180° C range in which the polycondensation took place. Further evidence for the presence of the ordered phase was obtained by the observation of optical birefringence of the sample sealed between glass slides and examined under polarizing optical microscopy. The anisotropic texture was found to be persistent in these polymer systems, even several days after the initial sample preparation. The optical micrographs of both polybenzobisthiazoles described in the current study are shown in Figure 4.

The polymers were also amenable to being continuously spun into fibers from the nematic phase, as described elsewhere<sup>3</sup>.




Figure 4. Optical birefringence of 10 wt % rigid-rod polymer in PPA (A) 2,6-NaphPBT (B) 1,5-NaphPBT

2,6-NaphPBT and 2,6-NaphPBO were isolated as fibrous, purple solids and 1,5-NaphPBT was obtained as a fibrous, dark yellow solid. The polymers could be solubilized only in strong protic acids such as methanesulfonic acid (MSA). The solution properties of the polybenzobisazoles are listed below in Table 1.

Table 1. Solution properties of Polybenzobisazoles incorporating Naphthalene-2,6- and 1,5-diyl units

Benzobisazole polymer	Polymerization conditions (wt % polymer in PPA)	Intrinsic viscosity (η) in dl/g (MSA, 30°C)
2,6-NaphPBT	12	41.0
2,6-NaphPBT	10	27.0
2,6-NaphPBO	10	21.0
1,5-NaphPBT	10	13.2

The intrinsic viscosities obtained for these polymers for an initial concentration of 0.10 g/dl in MSA, were indicative of their high molecular weights. Particularly remarkable was the solution viscosity obtained for the polybenzobisthiazole formation from a 12 wt % final polymer concentration in PPA.

The thermal and thermooxidative stability data for these polymers were obtained from TGA. The TGA data (10°C/min. heating rate) for 2,6-NaphPBT (entry 1, Table 1) are shown in Figure 5 and Table 2 describes the degradation behavior of all these polymers in inert atmosphere as well as in air.




Figure 5. Thermogravimetric analysis of 2,6-NaphPBT in helium and in air 2,6-NaphPBT was found to be exceptionally stable with the onset of degradation occurring around 700°C in helium and 600°C in air.

Table 2. Thermal properties of Polybenzobisazoles incorporating Naphthalene-2,6- and 1,5-diyl units

Benzobisazole polymer	Degradation onset (He, <sup>0</sup> C)	Degradation onset (air, <sup>0</sup> C)
2,6-NaphPBT	692	595
2,6-NaphPBO	659	591
1,5-NaphPBT	610	548

Under the same conditions of analysis, the stability of 2,6-NaphPBO was nearly comparable to that of 2,6-NaphPBT. Though 1,5-NaphPBT polymer too exhibited high temperature stability, it had onset temperatures for degradation significantly lower than those of 2,6-NaphPBT.

#### Conclusions

Rigid-rod polybenzobisazoles incorporating naphthalene-2,6- and 1,5-diyl structural units were synthesized in high molecular weights. The lyotropic liquid crystalline behavior of the polymer dopes in PPA was demonstrated via the observation of optical birefringence. The polymers were found to exhibit high thermal and thermooxidative stabilities characteristic of aromatic heterocyclic rigid-chain polymers. Future studies will focus on the evaluation of the tensile as well as the compressive properties of spun fibers generated from these polymer systems.

Acknowledgement. The authors would like to acknowledge Marlene Houtz, University of Dayton Research Institute, Dayton, OH for the thermal analysis of the polymers reported in this paper.

#### References

- (1) Wolfe, J. F.; Loo, B. H.; Arnold, F.E. Macromolecules 1981, 14, 915
- (2) So, Y-H. Prog. Polym. Sci. 2000, 25, 137
- (3) Matsuoka, T., Kubota, F. Jpn. Kokai. Tokkyo. Koho 1998, JP 10158213 (assigned to Toyobo Co., Ltd., Japan)
- (4) Sadanobu, J.; Inata, H. Book of Abstracts, 211<sup>th</sup> ACS National Meeting, New Orleans, LA 1996, POLY-256
- (5) Park, S.Y.; Lee, J.W.; Venkatasubramanian, N.; Dang, T.D.; Arnold, F.E.; Farmer, B.L. Polymer Preprints (American Chemical Society), 2002, 43(1), xxxx
- (6) Wolfe, J.F. Encyclopedia of Polymer Science and Engineering 1988, 11, 601

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.